

- Rosas C, G Cuzon, G Taboada, C Pascual, G Gaxiola & AV Wormhoudt.** 2001a. Effect of dietary protein and energy levels on growth, oxygen consumption, haemolymph and digestive gland carbohydrates, nitrogen excretion and osmotic pressure of *Litopenaeus vannamei* (Boone) and *L. setiferus* (Linne) juveniles (Crustacea, Decapoda; Penaeidae). Aquaculture Research 32(7): 531-547.
- Rosas C, G Cuzon, G Gaxiola, JL Priol, C Pascual, J Rossignyol, F Contreras, A Sanchez & A Wormhoudt.** 2001b. Metabolism and growth of juveniles of *Litopenaeus vannamei*: effect of salinity and dietary carbohydrate levels. Journal of Experimental Marine Biology and Ecology 259(1): 1-22.
- Ross LG & RW McKinney.** 1988. Respiratory cycles in *Oreochromis niloticus* measured using a six channel microcomputer operated respirometer. Comparative Biochemistry and Physiology Part A: Physiology 89(4): 637-643.
- Ross LG, RW McKinney, SK Cardwell, JG Fullarton, SEJ Roberts & B Ross.** 1992. The effects of dietary protein content, lipid content and ration level on oxygen consumption and specific dynamic action in *Oreochromis niloticus* L. Comparative Biochemistry and Physiology Part A: Physiology 103(3): 573-578.
- Taboada G, G Gaxiola, T García, R Pedroza, A Sánchez, LA Soto & C Rosas.** 1998. Oxygen consumption and ammonia-N excretion related to protein requirements for growth of white shrimp, *Penaeus setiferus* (L.), juveniles. Aquaculture Research 29(11): 823-833.
- Toledo TM, BC Silva, FdN Vieira, JLP Mourão & WQ Seiffert.** 2016. Effects of different dietary lipid levels and fatty acids profile in the culture of white shrimp *Litopenaeus vannamei* (Boone) in biofloc technology: water quality, biofloc composition, growth and health. Aquaculture Research 47: 1841-1851.
- Velleman PF & DC Hoaglin.** 1981. Applications, basics and computing of exploratory data analysis, 380 pp. Duxbury Press, Boston.
- Venero J, DA Davis & D Rouse.** 2008. Effect of the dietary ratio of digestible energy to crude protein on growth and feed conversion in juvenile pacific white shrimp *Litopenaeus vannamei* under similar levels of daily protein consumption. North American Journal of Aquaculture 70: 43-49.
- Wallace JC.** 1973. Feeding, starvation and metabolic rate in the shore crab *Carcinus maenas*. Marine Biology 20: 277-281.
- Wang XD, EC Li, SF Wang, JG Qin, XF Chen, QM Lai, K Chen, C Xu, L Gan, N Yu, ZY Du & LQ Chen.** 2015. Protein-sparing effect of carbohydrate in the diet of white shrimp *Litopenaeus vannamei* at low salinity. Aquaculture Nutrition 21: 904-912.
- Wang J, Z Qi & Z Yang.** 2016. Effects of dietary protein level on nitrogen and energy budget of juvenile chinese soft-shelled turtle, *Pelodiscus sinensis*, Wiegmann. Journal of the World Aquaculture Society 47: 450-458.
- Wells MJ & A Clarke.** 1996. Energetics: the costs of living and reproducing for an individual cephalopod. Philosophical Transactions of the Royal Society B 351(1343): 1083-1104.
- Whiteley NM, RF Robertson, J Meagor, AJE Haj & EW Taylor.** 2001. Protein synthesis and specific dynamic action in crustaceans: effects of temperature. Comparative Biochemistry and Physiology, Part A 128(3): 593-604.
- Zhang P, X Zhang, J Li & G Huang.** 2006. Swimming ability and physiological response to swimming fatigue in whiteleg shrimp, *Litopenaeus vannamei*. Comparative Biochemistry and Physiology, Part A 145(1): 26-32.

Received 26 July 2016 and accepted 21 December 2016

Editor: Claudia Bustos D.